

【ご注意】 本表を使用することで生じたいかなる損害に対して、弊社は一切の責任を負わないことを予めご了承下さい。

一般構造用炭素鋼鋼管 (STK400)				
外径×厚さ	kg/m	5.5m	6.0m	12.0m
21.7×1.9	0.928	5.10	5.57	
21.7×2.3	1.10	6.05	6.60	
21.7×2.8	1.31	7.20	7.86	
27.2×1.9	1.19	6.54	7.14	
27.2×2.3	1.41	7.76	8.46	
27.2×2.8	1.68	9.24	10.1	
34.0×2.3	1.80	9.9	10.8	
34.0×3.2	2.43	13.4	14.6	
42.7×2.3	2.29	12.6	13.7	
42.7×3.2	3.12	17.2	18.7	
42.7×3.5	3.38	18.6	20.3	
48.6×2.3	2.63	14.5	15.8	
48.6×3.2	3.58	19.7	21.5	
48.6×3.5	3.89	21.4	23.3	
60.5×2.3	3.30	18.2	19.8	
60.5×2.8	3.98	21.9	23.9	
60.5×3.2	4.52	24.9	27.1	
60.5×3.8	5.31	29.2	31.9	
60.5×4.9	6.72	37.0	40.3	
60.5×5.5	7.46	41.0	44.8	
76.3×2.8	5.08	27.9	30.5	61.0
76.3×3.2	5.77	31.7	34.6	69.2
76.3×4.2	7.47	41.1	44.8	89.6
76.3×5.2	9.12		54.7	109
76.3×6.0	10.4		62.4	
76.3×7.0	12.0		72.0	144
89.1×2.8	5.96	32.8	35.8	71.5
89.1×3.2	6.78	37.3	40.7	81.4
89.1×4.2	8.79	48.3	52.7	105
89.1×5.5	11.3		67.8	136
89.1×7.6	15.3			184

一般構造用炭素鋼鋼管 (STK400)				
外径×厚さ	kg/m	5.5m	6.0m	12.0m
101.6×3.2	7.76	42.7	46.6	93.1
101.6×4.2	10.1	55.6	60.6	121
101.6×5.7	13.5		81.0	162
101.6×8.1	18.7			224
114.3×3.5	9.56	52.6	57.4	115
114.3×4.5	12.2	67.1	73.2	146
114.3×6.0	16.0		96.0	192
114.3×8.6	22.4			269
139.8×3.5	11.8	64.9	70.8	142
139.8×4.5	15.0	82.5	90.0	180
139.8×6.0	19.8		119	238
139.8×6.6	21.7		130	260
139.8×9.5	30.5			366
165.2×3.7	14.7	80.8	88.2	176
165.2×4.5	17.8		107	214
165.2×5.0	19.8	109	119	238
165.2×6.0	23.6		142	283
165.2×7.1	27.7		166	332
165.2×9.3	35.8			430
165.2×11.0	41.8			502
190.7×4.5	20.7		124	
190.7×5.3	24.2		145	290
190.7×7.0	31.7			380
216.3×4.5	23.5		141	282
216.3×5.8	30.1		181	361
216.3×7.0	36.1			433
216.3×8.2	42.1		253	505
216.3×10.3	52.3			628
216.3×12.7	63.8			766
216.3×15.0	74.5			894
241.8×6.2	36.0			432

【ご注意】 本表を使用することで生じたいかなる損害に対して、弊社は一切の責任を負わないことを予めご了承下さい。

一般構造用炭素鋼鋼管 (STK400)				
外径×厚さ	kg/m	5.5m	6.0m	12.0m
609.6×6.4	95.2			1142
609.6×7.9	117			1404
609.6×9.5	141			1692
609.6×12.7	187			2244
609.6×16.0	234			2808
609.6×19.0	277			3324
609.6×22.0	319			3828
609.6×25.0	360		2160	4320
609.6×30.0	429		2574	
609.6×35.0	496		2976	
660.4×6.4	103			1236
660.4×7.9	127			1524
660.4×9.5	152			1824
660.4×12.7	203			2436
660.4×16.0	254			3048
711.2×6.0	104			1248
711.2×6.4	111			1332
711.2×7.9	137			1644
711.2×9.5	164			1968
711.2×12.7	219			2628
711.2×16.0	274			3288
711.2×19.0	324			3888
711.2×22.0	374			4488
812.8×6.4	127			1524
812.8×7.9	157			1884
812.8×9.5	188			2256
812.8×12.7	251			3012
812.8×16.0	314			3768
812.8×19.0	372			4464
812.8×22.0	429			5148
914.4×7.9	177			2124
914.4×9.5	212			2544
914.4×12.7	282			3384
914.4×16.0	354			4248

一般構造用炭素鋼鋼管 (STK400)				
外径×厚さ	kg/m	5.5m	6.0m	12.0m
914.4×22.0	484			5808
1016.0×7.9	196			2352
1016.0×9.5	236			2832
1016.0×12.7	314			3768
1016.0×16.0	395			4740
1016.0×19.0	467			5604
1016.0×22.0	539			6468
1117.6×9.5	260			3120
1117.6×10.3	281			3372
1117.6×12.7	346			4152
1219.2×9.5	283			3396
1219.2×12.7	378			4536
1219.2×16.0	475			5700

【ご注意】 本表を使用することで生じたいかなる損害に対して、弊社は一切の責任を負わないことを予めご了承下さい。

一般構造用炭素鋼鋼管 (STK400)				
外径×厚さ	kg/m	5.5m	6.0m	12.0m
267.4×5.8	37.4			449
267.4×6.0	38.7			464
267.4×6.6	42.4			509
267.4×7.8	49.9			599
267.4×9.3	59.2			710
267.4×12.7	79.8			958
267.4×15.1	93.9			1127
318.5×6.0	46.2			554
318.5×6.9	53.0			636
318.5×7.9	60.5			726
318.5×9.5	72.4			869
318.5×10.3	78.3			940
318.5×12.7	95.8			1150
318.5×14.3	107			1284
318.5×17.4	129			1548
355.6×6.4	55.1			661
355.6×7.9	67.7			812
355.6×9.5	81.1			973
355.6×11.1	94.3			1132
355.6×12.7	107			1284
355.6×15.1	127			1524
355.6×16.0	134			1608
355.6×19.0	158			1896
406.4×6.4	63.1			757
406.4×7.9	77.6			931
406.4×9.5	93.0			1116
406.4×12.7	123			1476
406.4×16.0	154			1848
406.4×19.0	182			2184
406.4×22.0	209			2508
457.2×6.4	71.1			853
457.2×7.9	87.5			1050
457.2×9.5	105			1260
457.2×12.7	139			1668

一般構造用炭素鋼鋼管 (STK400)				
外径×厚さ	kg/m	5.5m	6.0m	12.0m
457.2×14.3	156			1872
457.2×16.0	174			2088
457.2×19.0	205			2460
457.2×22.0	236			2832
457.2×23.8	254			3048
457.2×30.0	316		1896	
457.2×35.0	364		2184	
457.2×40.0	412		2472	
457.2×45.0	457		2742	
457.2×50.0	502		3012	
508.0×6.4	79.2			950
508.0×7.9	97.4			1169
508.0×9.5	117			1404
508.0×12.7	155			1860
508.0×16.0	194			2328
508.0×19.0	229			2748
508.0×22.0	264			3168
508.0×20.6	248		1488	2976
508.0×26.2	311		1866	3732
508.0×38.0	440		2640	
508.0×45.0	514		3084	
508.0×50.0	565		3390	
558.8×6.4	87.2			1046
558.8×7.9	107			1284
558.8×9.5	129			1548
558.8×12.7	171			2052
558.8×16.0	214			2568
558.8×19.0	253			3036
558.8×22.0	291			3492
558.8×28.6	374			4488